

INDEX MAPS.

T.13 N. R. 3 W. 2nd Mer.

	85	85	84-86	84-86	84-86	84-86	84-86					
88	6	112	5	107	4	103	3	98	2	93	1	83
	113		112		107		102		97		92	
88	7	111	8	106	9	102	10	97	11	92	12	83
	113		110		106		101		96		92	
88	18	110	17	106	16	101	15	96	14	91	13	83
	114		110		105		100		96		91	
87	19	109	20	105	21	100	22	95	23	90	24	82
	114		109		104		100		95		90	
87	30	109	29	104	28	99	27	94	26	90	25	82
	114		108		104		99		94		89	
87	31	108	32	103	33	98	34	93	35	89	36	82
	80		80		79-81		79-81		79-81		79-81	

T.14 N. R. 3 W. 2nd Mer.

	123		123		123		122		122		122	
125	6	150	5	144	4	139	3	134	2	130	1	121
	150		150		143		139		134		129	
125	7	149	8	143	9	138	10	134	11	129	12	121
	149		148		143		138		133		129	
125	18	148	17	142	16	137	15	133	14	128	13	121
	148		147		142		137		132		128	
124	19	147	20	141	21	137	22	132	23	127	24	120
	146		146		141		136		131		127	
124	30	146	29	140	28	136	27	131	26	126	25	120
	145		145		140		135		131		126	
124	31	144	32	140	33	135	34	130	35	126	36	120
	118		117-118		117-118		117-119		117-119		117-119	

The figures on the lines refer to the page.

Township N. 13 South of Range N. 13 West of the 2nd Mer. Ind.
Ch. S. M. S.

South Boundary

Q. 53.

West Quakrandom Line Cuth. & Bound. of S. 36. & N. 13. N. R. N. 3 W. 2nd Mer.

4000 Set a tempo Post for the con off the sea.

51.00 Top Crak. 150 lbs. mid, Conc. S.

80.00 Let a tempo post for the com. of Fed. 35 + 36

Land with wide good farming; Timber Spruce,
Beech, Sugar Oak, & Hickory & Poplar.

West Ouarandom lin On the South River of ex. 35 I N^o
13 MR. N^o 377

2.00 Lou Brook. 50 lbs more, Comes I.

40.00 Set a temp. post for the cor. off $\frac{1}{4}$ cu.

8000 " " " " " " " " Del. 34 135

Ok land can do rather well. Most of nothing and good for
farming

West Oak Knudsen line Outer S. Boundary of ca 34. S. N^o
13. NW N^o 3 W.

40.00 Extra transport deposit for the car off/yu lu.

57. 00 Goat Brook 12 1/2 mi. side, Converse A.C.

55.00 " " Crak 30 " " " S.C.

80.00 Let a tempo post for the car off res. 33 + 34

Land tolls, and good for farming. Timber Beech
Sycamore Poplar & Ash

West Quak and Am. Min. Co. & Co. I B. and 7 of No. 33.
I. N. 13. N. R. N. 374

7.00 Trout Brook 6 1/2 m. wide, Course N.E.

40.00 Set a temp. post for the cor. off 1/4 sec.

80.00 Set " " " " " " Rev. 32.133.

Sand level & rather wet. Timber Oak, Beech, Hick.

T. N^o 13. N^o 3 W. 2nd Mer. Ind^a.

West	On a Standon line On the South Boundary of sec. 32. T. N ^o 13. N ^o 3 W.
30.00	To a Block. 8 blocks wide, Course S.
40.00	Set a post for the cor. of 74 th Ea.
65.00	To a Block. 15 blocks wide, Course S.E.
80.00	Set a timber post for the cor. of sec. 31 & 32. Land is rich & good for farming; Timber: Beech Sugar, ash & Poplar.

June 7, 1819

West	On a Random line On the S. Boundary of sec. 31. T. N ^o 13. N ^o 3 W.
40.00	Set a timber post for the cor. of 74 th Ea.
54.25	Intersect the Range & line 147 blocks South of. Corner to S. 12. & 13. N ^o 3 & 4 W. Land very rich and good for farming; Timber: same

East	On a true line On the South Boundary of sec. 31. T. N ^o 13. N ^o 3 W.
14.25	Set the timber post on the true line for the cor. of 74 th Ea. from which a Beech. 30 in diam. bears N 29 W. 9 blocks dist; Ea. N 63 W. 8 " " " S 49 W. 25 " "
54.25	Set the timber post on the true line for the cor. of sec. 31 & 32 from which a Sugar. 18 in diam. bears S. 50 E. 20 blocks dist; and a Loc. 24 " " " N 15 W. 23 " "

East	On a true line On the South Boundary of sec. 32. T. N ^o 13. N ^o 3 W.
40.00	Set the timber post on the true line for the cor. of 74 th Ea. from which a Beech. 14 in diam. bears S 16 W. 21 blocks dist and a Loc. 30 " " " N 36 E. 17 " "
80.00	Set a post for the cor. of sec. 32 & 33. on the true line from which a Beech. 12 in diam. bears S 80 W. 9 blocks dist; Ea.

D. N^o 13. N.R. N^o 377. 2nd Mer. Ind.

Back 30 in dir. beam N 69 E. 21 lbs dist; 1

East	On a true line On the S Boundary of cu. 33. I. N ^o 13. N.R. N ^o 377.
40.00	Set a post temp ^y on the true line for the cor. of 74 sec. from which a Back 18 in dir. beam S 83 N. 25 lbs dist; under Hook 9 " " " " N 47 E. 20 " "
80.00	Set the temp ^y post on the true line for the cor. of sec. 33 & 34 from which a Sugar. 24 in dir. beam N 32 E. 28 lbs dist; under a Back 18 " " " " S 8 E. 50 " "
East	On the true line On the S Boundary of cu. 34. I. N ^o 13. N.R. N ^o 377.
40.00	Set the temp ^y post on the true line for the cor. of 74 sec. from which a Back 12 in dir. beam N 39 E. 7 lbs dist; under a L. 14 " " " " N 59 N. 14 " "
80.00	Set a post for the cor. of sec. 34 & 35 on the true line from which a Back 18 in dir. beam. East 10 lbs dist; & a N. Oak. 30 " " " " S 37 N. 21 " "
East	On the true line On the S Boundary of cu. 35. I. N ^o 13. N.R. N ^o 377.
40.00	Set a post for the cor. of 74 sec. on the true line from which a Sugar. 9 in dir. beam. N 4 N. 25 lbs dist; & a Back 9 " " " " S 6 N. 23 " "
80.00	Set a post on the true line for the cor. of sec. 35 & 36. from which a Back 12 in dir. beam. S 10 E. 18 lbs dist;
East	On a true line On the S Boundary of cu. 36. I. N ^o 13. N.R. N ^o 377.
40.00	Set the temp ^y post on the true line for the cor. of 74 sec. from which a Back 9 in dir. beam. N 35 N. 12 lbs dist; & a L. 10 " " " " S 43 E. 13 " "

T. N^o 13 N.R. N^o 3 W. 2nd Mer. Indⁿ

80.00 Set a post for the cor. of Sec. 1. 6. 31. & 36. T^o 12. 12. & 13.
13. N.R. N^o 213 W. 228 bucks South of the Random
Post from which a
Sugar 14 in diam. bears N 16 W 18 bucks dist; 1 a,
Buck 18 a " " S 83 E. 22 " "

East Boundary

v. 6° 15'

277

June 14. 1819

North On the East Boundary of sec. 36. T N^o 13. N.R. N^o 3 W.
30.00 To a locust. 20 bucks wide, Corner S.W.
40.00 Set a post for the cor. of 14 sec. from which a
Oak 27 in diam. bears N 16 E. 9 bucks dist; 1 a,
Buck 12 " " " S 19 W. 26 " "
57.00 To a locust 10 bucks wide, Corner S.W.
68.00 Entered a Swamp.
73.00 Passed the "
80.00 Set a post for the cor. of sec. 25. 136. From which a
Buck 15 in diam. bears S 41 E. 51 bucks dist; 1 a,
Loc. 24 " " " West 8 " "
Saw a small deer & Mt.

North On the East Boundary of sec. 25. T N^o 13. N.R. N^o 3 W.
40.00 Set a post for the cor. of 14 sec. from which a
Buck 9 in diam. bears N 64 W 16 bucks dist; 1 a,
Loc. 24 " " " S 82 E. 30 " "
65.00 To a Querc. 5 bucks wide, Corner E.
80.00 Set a post for the cor. of sec. 24. & 25 from which a
Buck 15 in diam. bears N 15 E. 18 bucks dist; 1 a,
Oak 8 " " " S 40 W. 5 " "
Saw a little wolf, Good for farming. In the
Buck. Oak, Sugar Oak, & Hickory.

North On the East Boundary of sec. 24 T. N^o 13 N.R. 3 W

T. N^o 13 N.R. N^o 3 W. 2nd Mer. Land?

- 40.00 Let apart for the cor. of 1/4 sec. from which a
Back. 11 in dist. bears S 3 E. 30 the dist; 5 a,
W. Oak. 27 " " " N 51 E 2 " "
- 80.00 Let apart for the cor. of sec. 13 & 24 from which a
Elev. 11 in dist. bears S 77 1/2 W. 21 the dist; 8 a,
Back. 8 " " " N 64 E. 35 " "
- Land. land under good for farming; past. rather not
Similar same as last mile.

- North On the East Boundary of sec. 13. T. N^o 13 N.R. N^o 3 W.
- 1.00 Iron Brook. 20 the mile, Corner E.
- 40.00 Let apart for the cor. of 1/4 sec. from which a
Back. 30 in dist. bears S 57 N. 11 the dist; 14
H. 18 " " " S 66 E. 47 " "
- 80.00 Let apart for the cor. of sec. 12 & 13. T. N^o 13 N.R. N^o 3 W.
from which a
Back. 7 in dist. bears N 54 E. 16 the dist; 14 a,
H. 12 " " " N 73 W. 45 " "
- Land a little rolling. Good for farming; Similar
Same as last mile.

- North On the East Boundary of sec. 12. T. N^o 13 N.R. N^o 3 W.
- 5.00 Iron Brook. 10 the mile, Corner E.
- 40.00 Let apart for the cor. of 1/4 sec. from which a
Back. 10 in dist. bears N 62 E. 9 the dist; 8 a,
H. 5 " " " S 17 N. 11 " "
- 80.00 Let apart for the cor. of sec. 1 & 12 from which a
Back. 12 in dist. bears N 61 E. 15 the dist; 8 a,
H. 9 " " " S 78 W. 14 " "
- Land same as last mile

- North On the East Boundary of sec. 1. T. N^o 13 N.R. N^o 3 W.
- 20.00 Iron Brook. 10 the mile, Corner E.

V. No 13 N.R. No 3 W. grade N.W. Ind.?

- 40.00 Set a post for the cor. of 1/4 sec. from which
Hackett's 18 mi. dist. below N 39° N. 8 W. dist; by
Imperial 3 " " " S 57° E. 21 " "
- 80.00 Set a temp. post for the cor. of S. No 13 & 13. 14. & 14.
N.R. No 3 & 3 W.

North Boundary

N. 55° 27'

- West On a Random line On the South Boundary of sec. 36. T.
N. No 14 N.R. No 3 W.
- 40.00 Set a temp. post for the cor. of 1/4 sec.
- 45.50 Trout Brook. 12 1/2 miles. Course S.
- 80.00 Set a temp. post for the cor. of sec. 25. & 36
Grade good 2nd rate; timber same.

- West On a Random line On the South Boundary of sec. 35.
T. No 14 N.R. No 3 W.
- 40.00 Set a temp. post for the cor. of 1/4 sec.
- 75.00 Trout Brook. 8 1/2 miles, Course N.
- 80.00 Set a temp. post for the cor. of sec. 34 & 35.
Grade fair and timber same as last mile.

July 16th 1819.

- West On a Random line On the South Boundary of sec. 34.
T. No 14 N.R. No 3 W.
- 40.00 Set a post for the cor. of 1/4 sec. Temp.?
- 55.00 Trout Brook. 8 1/2 miles, Course N.W.
- 80.00 Set a temp. post for the cor. of sec. 33 & 34
Grade bad and timber same as last mile.

- West On a Random line On the South Boundary of sec. 33.
T. No 14 N.R. No 3 W.
- 10.00 Trout Brook. 8 1/2 miles, Course N.
- 40.00 Set a temp. post for the cor. of 1/4 sec.

T. N^o 13. N.R. N^o 37. 2nd Mo. Sud?

80.00 Set a temp^y post for the cor. of sec. 32 & 33.
Sunde Soil and timber same as last mile.

West On a Random line On the S. Boundary of sec. 32 T. N^o 14. N.R. N^o 37.

39.50 To a Brook 600 yds. E. corner N. N.

40.00 Set a temp^y post for the cor. of 1/4 sec.

80.00 Set a temp^y post for the cor. of sec. 31 & 32.
Sunde roll 8. Timber same as last mile; Land good
for farming.

West On the South Boundary of sec. 31 On a Random line
T. N^o 14. N.R. N^o 37.

40.00 Set a post for the cor. of 1/4 sec. (Temp^y)

43.00 To a Brook 300 yds. E. corner N. N.

56.50 Into cut the Range line, 234 yds. South of Temp^y
Furnship Cor. for T. N^o 13 13 & 14. 14. N.R. N^o 37.

East On a true line On the S. Boundary of sec. 31. T. N^o 14
N.R. N^o 37. N. 55.5' Q. 100.

10.00 To a Brook 200 yds. E. corner N.

16.50 Set a post for the cor. of 1/4 sec. on the true line from which
Back 12 in dist. bears N 74 W. 14 the dist; 12
Sug. 12 " " East 23 " "

36.50 Set the temp^y post on the true line for the cor. of sec. 31 & 32
from which Sug. 12 in dist. bears N 58 W. 20 the dist;
and a Back 30 " " " N 7 E 10 " "

East On a true line On the S. Boundary of sec. 32 T. N^o 14
N.R. N^o 37.

40.00 Set the temp^y post on the true line for the cor. of 1/4 sec. from
which a Kick 7 in dist. bears S 57 E 26 the dist; 12
and a Back 7 " " " West 3 " "

T. N. 13 N. 11. N. 37. 2nd Mer. Sec. 3

80.00 Set apart for the cor. of sec. 32 & 33. On the true line from
which a Buck. 9 in dist. bears N 25 E. 21 the dist; 12
Sugar 18 " " " 115 E. 3 " "

East On a true line On the S. Boundary of sec. 33. T. N. 14.
N. 11. N. 37.

40.00 Set the post on the true line for the cor. of 1/4 sec. from
which a Sugar. 10 in dist. bears S 43 N. 8 the dist; 12
Buck. 30 " " " N 80 E. 23 " "

80.00 Set apart for the cor. of sec. 33 & 34 on the true line
from which a Sugar. 14 in dist. bears N 51 N. 12 the dist;
and a Buck. 8 " " " S 4 E. 12 " "

East On a true line On the S. Boundary of sec. 34. T. N. 14
N. 11. N. 37.

40.00 Set the temporary post on the true line for the cor. of 1/4 sec. from
which a Buck. 27 in dist. bears S 61 N. 9 the dist; 12
Hick. 16 " " " S 81 E. 28 " "

80.00 Set apart for the cor. of sec. 34 & 35 on the true line from
which a Hick. 9 in dist. bears S 6 N. 8 the dist;
and a Buck. 8 " " " N 37 N. 5 " "

June 22nd 1819.

East On a true line On the S. Boundary of sec. 35. T. N. 14
N. 11. N. 37.

40.00 Set the temporary post on the true line for the cor. of 1/4 sec.
from which a Hick. 10 in dist. bears S 6 E. 28 the dist;
and a Poplar. 30 " " " N 8 E. 1 " "

80.00 Set apart for the cor. of sec. 35 & 36 On the true line from
which a Hick. 18 in dist. bears S 31 E. 14 the dist;
and a Hick. 12 " " " N 55 N. 5 " "

East On a true line On the S. Boundary of sec. 36. T. N. 14. N. 37. 395

T. N^o 13 N. R. N^o 3 N. 2nd Mer. Ind^o

39.00 Crab Brook 12 1/2 miles, Course S.
 40.00 Set the temporary post on the true line for the cor. of 1/4 sec.
 from which a 1/2 sec. 10 in dist. bears N 72 W. 22 the dist,
 and a 1/2 sec. 10 " " " East. 19 " "
 80.00 Set the temporary post for the cor. of sec. 1. 6. 31 & 36.
 T^s 13. 13 & 14. 14 N. R. S. 213 N. 69 the N. of the
 temporary cor. from which a
 1/2 sec. 18 in dist. bears N 53 W. 16 the dist; 1 a,
 1/2 sec. 12 " " " N 59 E. 16 " "

West Boundary

v. 6th 20' 281.

North On the East Boundary of sec. 36 T. N^o 13. N. R. N^o 4 N.
 38.00 Crab Brook of the side, Course S. W.
 40.00 To a sugar 24 in dist. which stands for the cor. of 1/4 sec.
 80.00 Set a post for the cor. of sec. 25 & 36 from which a
 1/2 sec. 9 in dist. bears S 81 E. 14 the dist; 1 a,
 Walnut. 10 " " " S 41 W. 15 " "
 Land is well & fertile; and good for farming.
 Timber 1/2 sec. Sugar. Ash. Oak.

North On the East Boundary of sec. 25. T. N^o 13. N. R. N^o 4 N.
 40.00 Set a post for the cor. of 1/4 sec. from which a
 1/2 sec. 10 in dist. bears N 46 E. 19 the dist; 1 a,
 1/2 sec. 12 " " " S 16 W. 22 " "
 45.00 Crab Brook. 8 the side, Course N. W.
 70.00 To a 1/2 sec. 10 " " " " "
 80.00 Set a post for the cor. of sec. 24 & 25 from which a
 1/2 sec. 9 in dist. bears S 72 E. 10 the dist; 1 a,
 1/2 sec. 9 " " " West 10 " "
 Land is well and timber same as last mile.

North On the East Boundary of sec. 24 T. N^o 13. N. R. N^o 4 N.
 40.00 Set a post for the cor. of 1/4 sec. from which a

T. N. 13. N. R. N. 3 W. 2nd Mer. Sud.

	Back 9 in clear beam. N 19 W. 35 the dist; & a
	Back. 18 " " " S 3 E. 13 " "
62.00	To a brook. 20 the side, Corner W.
80.00	Let a post for the cor. of sec. 13 & 24 from which a
	Loggwoods 6 in clear beam. S 3 W. 7 the dist; & a
	Sugar. 18 " " " N 4 W. 24 " "
	Go to point and timber from a last mile.
<hr/>	
North	On the East Boundary of sec. 13. T. N. 13. N. R. N. 3 W.
10.00	Let a post for the cor. of 1/4 sec. from which a
	Sugar. 12 in clear beam. N 9 W. 46 the dist; & a
	Ironwoods 9 " " " N 5 W. 31 " "
80.00	Let a post for the cor. of sec. 12 & 13 from which a
	Back. 18 in clear beam. S 39 W. 6 the dist; & a
	W. 9 " " " North 27 " "
	Go to same a last mile.
<hr/>	
North	On the East Boundary of sec. 12. T. N. 13. N. R. N. 3 W.
1.00	To a Brook 5 the side, Corner N. W.
40.00	Let a post for the cor. of 1/4 sec. from which a
	Back 9 in clear beam. S 62 W. 23 the dist; & a
	Sugar 10 " " " S 62 E. 17 " "
42.50	To a Brook. 30 the side, Corner W.
80.00	To a Brook. 3 the side, Corner N. W.
80.00	Let a post for the cor. of sec. 10 & 12. from which a
	Back. 15 in clear beam. N 78 W. 50 the dist; & a
	Sugar 14 " " " N 75 E. 46 " " " Go to same
<hr/>	
North	On the East Boundary of sec. 1. T. N. 13. N. R. N. 4 W.
16.50	To a Brook 8 the side, Corner S. W.
40.00	Let a post for the cor. of 1/4 sec. from which a
	Sugar. 14 in clear beam. S 86 E. 14 the dist; & a
	Back. 6 " " " N 86 W. 4 " "
80.00	Let a temporary post for the cor. of T. 13. 13 & 14. 14 N. R. 30 & 4 W. or

T. N^o 13 NR N^o 3 W. 2nd Mer. Sur^s

77.60 To the Township Cor. Land same

Subdivisions

v. 6° 30' N

North Section betⁿ Sec 35 & 36 T. N^o 13 NR N^o 3 W.
 The cor. is in the 7th corner of a Brook. 60 lbs. mid. C. & E.
 3.7.2 Trout Brook. 27 in dia. Stands in the line.
 38.00 " " " 18 " " " " " "
 40.00 Set a post for the cor. off 1/4 sec. from which a
 Hick 18 in dia. bears N 39° E. 19 lbs. dist; 1 way
 Ironwood 3 " " " S 24° W. 11 " "
 40.50 Iron Spring branch. 5 lbs. mid. Corner N.
 41.75 " " Brook 12 in dia. Stands in the line.
 57.60 " " Brook 5 lbs. mid. Corner S. N.
 67.30 " " " 10.6 " " " S. N.
 68.27 " " Poplar 25 in dia. Stands in the line.
 80.00 Set a post for the cor. off sec. 25, 26, 35 & 36 from which
 Brook 13 in dia. bears N 77° E 25 lbs. dist; 1 way
 Sugar. 9 " " " N 85° W. 5 " "
 Lands broken & 2nd rate; Buck. Ash, Poplar,
 Sugar & N Oak, M & Shrubs.

East On a Random line between Sec 25 & 36 T. N^o 13. NR 3 W.

3.50 Trout Brook. 5 lbs. mid. Corner S. N.

40.00 Set a temporary post for the cor. off 1/4 sec.

80.50 In the sec the East Bound. 5 lbs. S. of the post cor.
 off sec. 25 & 36. Lands broken 13th rate; very brushy
 Iron N. Oak, Buck, Sugar, & Ash,

West On the true line between Sec 25 & 36 T. N^o 13. NR 3 W.

40.25 Set the temporary post at the cor. dist in the true line
 for the cor. off 1/4 sec. from which a

Buck. 24 in dia. bears N 24° W. 24 lbs. dist; 1 way
 Do. 14 " " " S 13° E. 44 " "

D. N. 13. N. R. N. 3 W. 2nd Mer. Sec. 2

80.50 To the post cor. of sec. 25, 26, 35 & 36

North Between Sec. 25 & 26 D. N. 13. N. R. N. 3 W.
 7.10 Lost Buck. 24 in dist. Stands in the line.
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which =
 Buck. 13 in dist. bears N 57° E. 33. the dist; & r.
 Lynn. 13 " " " S 35° W. 13 " "
 40.50 Lost Buck. 5 Mornide, Course S. W.
 40.25 Is a W. Oak, 36 in dist. Stands in the line.
 70.68 " " Buck. 32 " " " " " "
 80.00 Set a post for the cor. of sec. 23, 24, 25 & 26 from which
 a Buck. 12 in dist. bears N 11° E. 19 the dist; & r.
 Loc. 11 " " " S 16° E. 12 " "
 Sande broken & 2nd rate; Timber Oak, Ash, Buck
 Poplar Sugar & some Lynn.

East On a Random line between Sec. 24 & 25 D. N. 13. N. R. N. 3 W.
 40.00 Set a temp. post for the cor. of $\frac{1}{4}$ sec.
 80.32 Intersect the East Boundary 50 the South of the
 post cor. of sec. 24 & 25
 Sande, hick and 2nd rate; Sandy. Timber Oak, Ash, Buck
 Sugar, Poplar, Oak, & N. B. Gum.

West On the true line between Sec. 24 & 25 D. N. 13. N. R. N. 3 W.
 40.16 Set the temp. post at the corner dist. in the line
 this for the cor. of $\frac{1}{4}$ sec. from which =
 Buck. 24 in dist. bears S 44° W. 31 the dist; & r.
 Loc. 14 " " " N 59° W. 40 " "
 80.32 To the post cor. of sec. 23, 24, 25 & 26.

North Between Sec. 23 & 24 D. N. 13. N. R. N. 3 W.
 13.22 Lost Buck. 12 in dist. Stands in the line.
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which =

Buck 8 in. diam. bears N. 30. 1/2 E. 25 links dist. &c.
 Do. 20 " " " S. 6. 1/2 W. 16. " "
 43. 10 To a Sycamore 10 in. diam. stands in the line
 80. 00 Set a post for the Cor. of Sec. 13. 14. 23. & 24. from which
 a Sugar. 20 in. diam. bears S. 65 E. 30 the dist; 1 in.
 Buck. 10 " " " S. 84 W. 22 " "
 Lands good 2nd rate; Timber Sugar. 1 Buck.
 Ash. Poplar. Sycamore Oak, Hickory & Walnut.

East On the line between Sec. 13 & 24 T. N^o 13 T. R. N^o 3 W.
 40. 00 Set a temp^l post for the cor. of 1/4 sec.
 53. 00 Entered bottom.
 60. 50 To a Brook 25 the mile. Course — nearly dry
 70. 50 Left Brook after crossing it several times S. N. E.
 80. 29 Into set the East Boundary 70 the S. of the post cor.
 Sec. 13 & 24 Lands rich & 2nd rate; Timber Buck.
 Ash, Sugar. Walnut. & Poplar.

West On the line between Sec. 13 & 24 T. N^o 13 T. R. N^o 3 W.
 40. 14 1/2 Set the temp^l post at the av^{er} dist. in the line for
 the cor. of 1/4 sec. from which
 a Sugar. 20 in. diam. bears S. 36 E. 31 the dist; 1 in.
 Sugar. 12 " " " N. 34 E. 29 " "
 80. 29 To the post cor. of sec. 13. 14. 23. & 24. Oct. 7. 1815

North Between Sec. 13 & 14 T. N^o 13 T. R. N^o 3 W.
 0. 65 To a Buck. 15 in. diam. stands in the line
 38. 80 " " Poplar 20 " " " " " "
 40. 00 Set a post for the cor. of 1/4 sec. from which
 Hickory 22 in. diam. bears S. 57 E. 20 the dist; 1 in.
 Buck. 18 " " " N. 21 E. 23 " "
 53. 67 To a Buck. 10 in. diam. stands in the line.
 80. 00 Set a post for the cor. of sec. 11. 12. 13 & 14 from which

I. N. 13. N. R. N. 3 W. 2nd Mer. Sec.

Hackberry 5 in diam. trees. North 15 the ditch; 1st,
 Buck. 9 " " " " 40 E. 19 " "
 Sande wood made 2nd rate; Timber Ash, Poplar,
 Walnut, Buck. Sugar, & some Hackberry

East On a Random line between Sec. 12 & 13 T. N. 13. R. 3 W.
 40.00 Set a temp. post for the cor. of 1/4 sec.
 80.15 Intersect the East Boundary to the South of the post.
 cor. of Sec. 12 & 13. Sande wood made 2nd rate;
 Timber Buck, Ash, Sugar & Poplar.

West On the true line, between Sec. 12 & 13. T. N. 13. R. 3 W.
 40.00 Set the temp. post at the av. dist. in the true line
 for the cor. of 1/4 sec. from which
 Buck. — in diam. trees South 4 1/2 the ditch; 1st,
 No. 22 " " " " N 53 1/2 E. 36 " "
 80.15 To the post cor. of Sec. 11, 12, 13 & 14 Oct. 8. 1819.

North Between Sec. 11 & 12 T. N. 13. R. N. 3 W.
 5.00 To a Qu. Oak 12 in diam. stands in the line.
 35.50 " " Buck. 24 " " " " " "
 40.00 Set a post for the cor. of 1/4 sec. from which a
 Poplar 30 in diam. trees North — the ditch; 1st,
 Buck. 12 " " " " N 14 E. 23 " "
 42.40 To a Hick 30 in diam. stands in the line.
 75.90 To an Elm 30 in diam. stands in the line.
 80.00 Set a post for the cor. of Sec. 1. 2. 11. 12 from which
 Buck. 14 in diam. trees N 26 E. 23 the ditch; 1st,
 No. 16 " " " " S. 1/2 E. 19 " "
 Sande wood made 2nd rate; Timber Buck, Ash,
 Hick, Hick, Poplar Sugar & Oak.

East On a Random line between Sec. 1 & 12 T. N. 13. R. 3 W.

D. N. 13 N.R. N. 3 N. 2nd Mer. Ind.

40.00	Set apart for the cr. off 1/4 cu. timber
79.67	Intersect the East Branch 27 lbs South of the first cr. off sw. 1 & 12. Sando land and very open. 2 nd rate; Shrub Birch Oak, & Hick. Poplar. Sugar and Oak,
West	On the line line between Sub. 1 & 12 D. N. 13. N.R. N. 3 N.
39.63 1/2	Set the timber 1/2 apart at the avor. dish on the line line for the cr. off 1/4 cu. from which a Birch. 16 in diam. bears. S 7 N. 2 1/2 lbs dish; 2 nd Poplar. 20 " " " West 7 " "
79.67	To the post in off sw. 1. 2 11. & 12.
North	Between Sub. 1 & 12 D. N. 13. N.R. N. 3 N.
9.10	Small Birch. 20 in diam. stands in the line.
34.68	" " 20. 14 " " " " " "
40.00	Set apart for the cr. off 1/4 cu. from which a Birch. 14 in diam. bears. S 44 N. 2 lbs dish; 2 nd Poplar. 22 " " " N 50 E. 8 " "
50.90	Small Ash, 24 in diam. stands in the line.
75.63	" a Birch. 18 " " " " " "
81.60	Intersect the N. Branch 80 lbs East of the post cr. off sw. 35. & 36. D. N. 14. N.R. N. 3 N. and set apart for the cr. off sw. 1 & 2 from which a Birch. 18 in diam. bears. N 25 E. 16 lbs dish; 2 nd 20. 16 " " " S 10 1/2 N. 16 " " Sando land and 2 nd rate; Shrub Birch Oak Ash. Poplar & Hick. Oct. 9. 1819.
North	Between Sub. 34 & 35 D. N. 13. N.R. N. 3 N.
12.43	Small Poplar. 23 in diam. stands in the line
40.00	Set apart for the cr. off 1/4 cu. from which a Sugar. 7 in diam. bears. S 76 E. 2 1/2 lbs dish; 1 st

T. No 13 A.R. No 37. 2nd Mer. Line

Buck 18 in diam. bears S 55 N. 8 M. dist
 43. 50 To a Buck 10 in diam. stands in the line.
 75. 42 To a Sugar 14 " " " " " "
 80. 00 Set a Post for the Cor of Sec. 26. 27. 34. & 35. from which
 a B. Gum 13 in diam. bears S 56 N. E. 4 links dist. & a
 Sugar 5. " " " S 46 W 8 3/4 " "
 Land on this mile broken pice & 3 rate. Timber
 W Oak. Buck & Poplar

East Between Sec. 26. & 35. T. No 13. N. To No 3. W.
 On a Meander line
 40. 00 Set the temp. post for the Cor. of 1/4 Sec.
 50. 00 To a Buck 15 links wide. Course S W.
 80. 46 Intersected the N. & S line 43. lks. N. of the post for
 the Cor of Sec. 25. 26. 35. & 36. Land broken & poor.
 Timber. W Oak. Hickory. & Poplar. Buck. &c.

West On the true line Between Sec. 26. & 35. T. No 13. N. To No 3. W.
 40. 23 Set the temp. post at the aver. dist. on the true line
 for the Cor. of 1/4 Sec. from which a
 Buck 14 in diam. bears S 31. W. 33 links. dist. &
 a Sugar 10. " " " N. 60. W. 37. " "
 80. 46 To the Post set for the Cor. of Sec. 26. 27. 34. & 35.

North Between Sec. 26. & 27. T. No 13. N. To No 3. W.
 3. 73 To a Buck 24 in diam. stands in the line.
 34. 09 " " Sec. 8. " " " " " "
 40. 00 Set a Post for the Cor of 1/4 Sec. from which a
 Buck 20 in diam. bears N. 6 W. 18 links. dist. & a
 Sec. 2. " " " N. 56. W. 18 1/2 " "
 45. 78 To a Buck 11 in diam. stands in the line
 71. 34 " " Sec. 12. " " " " " "
 80. 00 Set a Post for the Cor. of Sec. 22. 23. 26. & 27. on a

T. N. 13. N. R. N. 37. 2nd Mer. Ind.

Buck 9. in. diam. from which a
 Sugar 20. " " bears N. 20 1/2 E. 32 links dist. &c
 No. 22. " " " G. 85. E. 32. " "
 Land level & 2nd rate; Timber, Buck, W. Oak, Sugar & Poplar

East On a Random line between Sec. 23. & 26. T. N. 13. N. R. 37.
 17. 20 To a Buck 2 links wide. Course.
 28. 50 " " No. 25. " " " G. E.
 40. 00 Get the temp. post for the Cor. of 1/4 Sec.
 80. 32 Intersected the N. & E. line 5. links N. of the post set
 for the Cor. of Sec. 23. 24. 25. & 26. Land level &
 2nd rate Timber. Buck. W. Oak. Hick. & Poplar B. Oak.

West On the true line between Sec. 23. & 26. T. N. 13. N. R. 37.
 40. 16 Get a post for the Cor. of 1/4 Sec. at the av. dist. on true
 line from which a
 Hick. 30. in. diam. bears N. 17 1/2 E. 20 links dist. &c
 Buck 12. " " " N. 54. W. 28. " "
 80. 32 To the post for the Cor. of Sec. 22. 23. 26. & 27.

North Return Sec. 22. & 23. T. N. 13. N. R. N. 37.
 7. 00 To a Sugar 12 in. diam. stands in the line.
 40. 00 Set a post for the cor. of 1/4 sec. from which a
 W. Oak, — in. diam. bears N. 29 1/2 E. 25 lbs. dist; &c
 Hick. 4 " " " N. 32 W. 17 1/2 "
 47. 19 To an W. Oak 24 in. diam. stands in the line.
 72. 13 To a Buck 15 in. diam. " " "
 80. 00 Set a post for the cor. of Sec. 14. 15. 22. & 23. from which
 a Poplar 10 in. diam. bears N. 29 W. 10 lbs. dist; &c
 " 12 " " " S. 72 E. 27 " "
 Land level & 2nd rate; Timber, W. Oak, Buck
 Poplar & Sugar,

P. N. 13 N. R. N. 3 N. 2nd Mer. Sur.

East On a Random line between Sec. 14 & 23. T. N. 13. N. R. 3 N.
40.00 Set a temporary post for the cor. off $\frac{1}{4}$ Sec.
79.58 Enter out the N. & S. line 31 Mo. North of the post cor.
off sec. 13, 14, 23, & 24
Sands land under 2nd rate; Seminoe Buck, Sugar
Poplar, & N. Oak, Oct. 7. 1819

West On the same line between Sec. 14 & 23. T. N. 13. N. R. 3 N.
39.79 Set the temporary post at the adv. dist; on the true line
for the cor. off $\frac{1}{4}$ Sec. from which
N. Gum. 12 in diam bears S 89 N. 14 $\frac{1}{2}$ E the dist; & a
Buck. 15 " " " S 6 E. 24 $\frac{1}{2}$ " "
79.58 To the post cor. off sec. 14, 15, 22, & 23.

North Section Sec. 14 & 15. T. N. 13. N. R. 3 N.
14.94 To a Hickory 10 in diam stands on the line.
35.82 To a N. Oak. 12 " " " " " "
40.00 Set a post for the cor. off $\frac{1}{4}$ Sec. from which
Buck. 30 in. diam bears N 24 N. 32 E the dist; & a
Do. 14 " " " S 65 E. 6 " "
53.81 To a Hickory 10 in diam stands on the line.
79.50 " " Buck. 14 " " " " " "
80.00 Set a post for the cor. off sec. 10, 11, 14 & 15 from which
a Buck. 9 in diam bears N 87 N. 27 $\frac{1}{2}$ E the dist; & a
N. Oak. 30 " " " S 65 E. 45 $\frac{1}{2}$ " "
Sands land under 2nd rate; Seminoe Buck, N. Oak,
Hickory & Poplar.

East On a Random line between Sec. 11 & 14. T. N. 13. N. R. 3 N.
40.00 Set a temporary post for the cor. off $\frac{1}{4}$ Sec.
79.97 Enter out the N. & S. line 150 the North of the post
cor. off sec. 11, 12, 13 & 14 Sands land & rich; Seminoe
Buck, Sugar, Poplar, & Hickory

97

T. N. 13. N. R. N. 3. W. 2nd Mer. L. 1st.

West On the true line between Sec. 11 & 14. T. N. 13. N. R. N. 3. W.
 39.89 1/2 Let the temp. of post at the av. dist. on the true line
 for the cor. of 1/4 sec. from which
 Buck. 10 in diam. bears S 78 E. 12 1/2 the dist; 12,
 L. 14 " " " N 45 E. 14 1/2 " "
 79.97 To post cor. of sec. 10. 11. 14. & 15.

North Between Sec. 10 & 11 T. N. 13. N. R. N. 3. W.
 16.30 To a Buck. 15 in diam. stands on the line.
 40.00 Let a post for the cor. of 1/4 sec. from which
 Buck. 13 in diam. bears S 33 W. 39 1/2 the dist; 12,
 L. 7 " " " N 69 E. 30 1/2 " "
 53.27 1/2 To a Buck. 7 in diam. stands on the line.
 78.46 " " " 4 " " " " " "
 80.00 Let a post for the cor. of sec. 2, 3, 10 & 11 from which
 Hick. 8 in diam. bears S 67 E. 15 the dist; 12,
 B. Oak. 24 " " " N 40 W 8 " "
 L. 2nd level 2nd rate; Timber Buck, Hick, Pop-
 lar, & W. Oak,

East On a Random line between Sec. 2 & 11 T. N. 13. N. R. N. 3. W.
 40.00 Let a temp. post for the cor. of 1/4 sec.
 56.56 To a Buck. 10 in diam. stands on the line.
 79.31 Intersect the N. 13 line 150 links North of the post
 cor. of sec. 1. 2. 11. & 12 L. 2nd level and 2nd rate;
 Timber Buck, Poplar. W. Oak & Sugar, &c.

West On the true line between Sec. 2 & 11 T. N. 13. N. R. N. 3. W.
 39.65 1/2 Let the temp. post on the true line at the av. dist.
 for the cor. of 1/4 sec. from which on
 Oak. 14 in diam. bears N 61 1/2 W. 10 1/2 the dist; 12,
 Buck. 12 " " " S 5 E. 21 " " "
 79.31 To the post cor. of sec. 2, 3, 10 & 11.

Q. N^o 13 NR N^o 3 W. 2nd Mer. Sud:

North Between Secs 213. I. N^o 13. NR N^o 3 W.
 1069 To a Buck. 18 in dia: stands in the line.
 40.00 Set apart for the cor. off 1/4 sec. from which are
 W. Oak. 36 in dia: trees S 36 N. 26 the dist; 12,
 B. Ash 12 " " " N 74 E 26 " "
 49.31 To a Hick[?] 8 in dia: stands in the line.
 73.69 " " W. Oak. 15 " " " " " "
 81.08 Enter at the N. Bound^y 218 the East of the post
 cor. off sw. 34 & 35. I. N^o 14. NR N^o 3 W. and set
 apart for the cor. off sw. 213 from which are
 W. Oak. 12 in dia: stands S 74 N. 16 the dist; 12,
 Sugar. 24 " " " N 31 E. 11 " "
 Sande hard and 2nd rate; Timber Buck, Hick[?]
 Sugar, Oak, Poplar & W. Oak Oct. 9th 1819

North Between Secs 33 & 34 I. N^o 13. NR N^o 3 W.
 1.55. To a cherry 8 in dia: stands in the line.
 10.10 " " Brook 10 the wide, Course N. E.
 36.62 " " W. Oak. 36 in dia: stands in the line.
 39.25 " " Brook 5 the wide; Course E.
 40.00 Set apart for the cor. off 1/4 sec. from which are
 Buck. 12 in dia: trees N 71 W. 22 1/2 the dist; 12,
 Do. 5 " " " S 39 E 23 1/2 " "
 46.60 To a Buck. 14 in dia: stands in the line.
 49.00 " " Brook 5 the wide, Course E.
 55.00 To " Do. 30 " " " S. E.
 50.50 " " " 3 " " " S.
 62.50 " " " 6 " " " S. W.
 80.00 Set apart for the cor. off sw. 27, 28, 33 & 34 from which
 Sugar. 13 in dia: trees N 24 1/2 E. 13 the dist; 12,
 Do. 6 " " " S 50 E. 14 " "
 Sande broken & Kilby; Timber Sugar, Buck, N. W. B.
 Oak, Hick[?] and Ash, W. S. Shrub

99

T. N. 13 N. R. N. 3 W. 2nd Mrs. Ind. a

East	On a Random line between Sec. 27. 0 34 T. N. 13. N. R. 3 W.
15.50	Low Brook 5 the mile, Course S.
40.00	Set a temporary post for the cor. off $\frac{1}{4}$ sec.
42.00	Entered Swampy Lands;
60.00	" dry Lands.
80.00	Entered the N. S. line 12 $\frac{1}{2}$ the N. of the post cor. off Sec. 26. 27. 34. 35 Lands broken; 2nd $\frac{1}{2}$ the; Timber Bush Sugar. Ash, Hickory. Poplar & Oak.
West	On the same line between Sec. 27. 0 34 T. N. 13. N. R. 3 W.
40.02 $\frac{1}{2}$	Set the temporary post for the cor. off $\frac{1}{4}$ sec. at the arm. cut on the same line from which a Hickory 13 in diam. bears. N $\frac{1}{2}$ E 12 the dist; 1st No. 12 " " " S $\frac{1}{2}$ E 13 " "
80.05	To the post cor. off Sec. 27. 28. 33 & 34
North	Between Sec. 27. & 28. T. N. 13. N. R. N. 3 W.
4.88	Low Brook 14 in diam. stands in the line.
5.50	" " Brook. 5 the mile, Course S. W.
25.50	" " Do. 5 " " " N.
34.10	To a N. Oak 36 in diam. stands on the line.
40.00	Set a post for the cor. off $\frac{1}{4}$ sec. from which a Log woods 5 in diam. bears. N 30 $\frac{1}{2}$ E. 15 the dist; 1st N. Oak. 20 " " " S $\frac{1}{2}$ E 19 " "
43.80	To a Poplar 30 in diam. stands in the line.
53.90	" " Brook. 40 the mile, Course S. W.
72.40	Low Brook. 10 in diam. stands in the line.
80.00	Set a post for the cor. off Sec. 21. 22. 27. & 28 from which a N Oak 20 in diam. bears N 49 W. 10 the dist; 1st No. 36 " " " S 44 E. 11 " "
	Lands broken & hilly 2nd rate; Timber N Oak, Bush Sugar Ash, Poplar & Hickory. All very brushy

T. N. 13. N. R. N. 37. 2nd Mer. Ind.

East On a Randon line between Sep. 22 & 27 T. N. 13. N. R. 37.
 40.00 Set a temp. post for the cor. of $\frac{1}{4}$ Sec.
 40.40 To a Brook 25 M. miles, Course S. W.
 80.22 Intersect the N. S. line 54 miles N. of the post, cor.
 of Sep. 22, 23, 26, & 27
 Stands N. E. of broken; 2nd of level 2nd rate;
 Timber Buck, Sugar, Oak, Poplar & Willow.

West On the line line between Sep. 22 & 27 T. N. 13. N. R. 37.
 40.11 Set the temp. post at the adv. dist. on the line
 for the cor. of $\frac{1}{4}$ Sec. From which a
 Buck 14 in dist. bears N 74 W. 21 the dist; or
 Elm 25 " " " S 32 E. 11 " "
 80.22 To the post cor. of Sep. 21, 22, 27, & 28

North Between Sep. 21, 22 T. N. 13. N. R. N. 37.
 13.16 To a Buck, 12 in dist. stands in the line.
 37.60 " " 10 " " " " " "
 40.00 Set a post for the cor. of $\frac{1}{4}$ Sec. From which
 N. Oak 11 in dist. bears N 65 E. 32 the dist; or
 Buck 13 " " " S 80 W. 26 " "
 43.16 To a Buck, 12 in dist. stands in the line
 63.03 " " Hick 12 " " " " "
 74.59 To a Brook 20 M. miles, Course East
 80.00 Set a post for the cor. of Sep. 15, 16, 21, & 22 from which
 N. Oak 42 in dist. bears S 6 E. 21 the dist; or
 Hick 9 " " " N 27 W. 18 " "
 Stands N. E. of broken; 2nd of level and 2nd rate;
 Timber Buck, Oak, Hick, Sugar & Ash,
 W. very thick with shrubs.

East On a Randon line between Sep. 15 & 22 T. N. 13. N.
 N. R. N. 37.

C. N^o 13 N.R. N^o 37 N. 2nd Mer.

40.00 Set a temporary post for the cor. of 1/4 sec.
 74.00 Oak Brook, 20 rods miles Corner S.W.
 80.60 Intersect the N13 line, 59 rods N. of the post
 cor. of sec. 14, 15, 22, & 23.
 Souds hard and good 2nd rate; Sugar Birch
 Englm. Ash, Poplar, Oak and Cottonwood.

West Oak Run line between Sec. 15 & 22 C. N^o 13 N.R. N^o 37.
 40.30 Set a post for the cor. of 1/4 sec. at the av. dist; on the
 line from which a
 Birch, 20 in diam. bears N41 E. 14 rods dist; & a,
 Q. 11 " " " S51 1/2 W. 12 " "
 80.60 Set the post cor. of sec. 15, 16, 21, & 22 Oct. 11 1819

North Between Sec. 15 & 16 C. N^o 13 N.R. N^o 37.
 2.12 Souds ash, 24 in diam. stands in the line.
 34.47 " " Hick 7 1/2 " " " " "
 40.00 Set a ~~temporary~~ post for the cor. of 1/4 sec. from which a
 Birch, 42 in diam. bears N26 1/2 W. 6 rods dist; & a,
 Sugar 8 " " " S56 E. 3 1/2 " "
 58.77 Oak Birch, 18 in diam. stands in the line.
 78.50 " " Q. 13 " " " " "
 80.00 Set a post for the cor. of sec. 9, 10, 15 & 16 from which
 Hick 16 in diam. bears N14 W. 13 rods dist; & a,
 W. Oak, 6 " " " N61 E. 11 " "
 Souds hard and 2nd rate; Sugar Birch Sugar,
 Ash, Hick, Poplar & Oak, All Spine shrubs

East Oak Run line between Sec. 10 & 15 C. N^o 13 N.R. N^o 37.
 15.00 Oak Brook of the site ~~the~~ Corner E.
 20.00 " " Q. 15 " " " " " N.W.
 40.00 Set a temporary post for the cor. of 1/4 sec. from which
 81.25 Intersect the N13 line, 25 rods North of the post cor.

I N^o 13 N.R. N^o 37 2nd Mer. Sud^o

of sec. 10. 11. 14. & 15

Land work under 2nd rate; Timber Buck, Sugar,
Ash, Poplar, Hick^y, Oak & Walnut. W^h Spruce.

West On the line between Sec. 10 & 15 I N^o 13 N.R. 37
40.75 Set the post for the cor. off $\frac{1}{4}$ sec. at the corr. distance
the line from which a
Sugar 18 in diam. bears S 56^o W. 43 the dist; or
Buck 24 " " " N 49^o E. 20 " "
81.25 To the post cor. of sec. 9. 10. 15 & 16.

North Return Sec. 9. 210. I N^o 13 N.R. N^o 37.
3.77 To a N. Oak 18 in diam. stands in the line.
26.50 " " Brook. 15 ft in diam. Course S.E.
33.12 To a Sugar. 18 in diam. stands in the line.
40.00 Set a post for the cor. off $\frac{1}{4}$ sec. from which a
Buck 20 in diam. bears S 62^o E. 8 the dist; or
Oak 7 " " " N 50^o W. 20 " "
46.06 To a Buck 19 in diam. stands in the line.
74.56 " " B. Walnut 30 " " " " " "
80.00 Set a post for the cor. of sec. 3 4. 9 & 10 from which a
Sugar 9 in diam. bears S 57^o E. 10 the dist; or
Buck 6 " " " " N 24^o W. 27 $\frac{1}{4}$ "
Land work under good 2nd rate; Timber Buck Sugar
Ash, Poplar, Oak & Elm. & Walnut W^h Spruce.

East On a Random line between Sec. 3 & 10 I N^o 13 N.R. 37
40.00 Set a temporary post for the cor. off $\frac{1}{4}$ sec.
44.50 To a Brook. 5 ft in diam. Course S.W.
81.59 Set a post on the N & S line; $\frac{1}{2}$ sec. S. of the post cor. of sec.
2. 3 10 & 11 Land work under 3rd rate. Timber Buck
Sugar Ash Poplar & Hick^y under Oak, W^h Spruce.

L. N. 13 N.R. N. 3 N. 2nd Mer. Sud.

41.24	On the line between <i>L. N. 3 & 10 L. N. 13 N.R. N. 3 N.</i>
40.28 1/2	Set the tripod up at the corner, which is the true line for the cor. off 1/4 sec. from which a Y Buck. 23 in diam. bears S 51 N. 15 W. dist; 1 m. Sugar 12 " " " N 13 1/2 W. 26 " "
80.59	To the first cor. of <i>L. N. 3 & 10</i> .
North	Between <i>L. N. 3 & 4 L. N. 13 N.R. N. 3 N.</i>
11.40	To a Buck. 20 in diam. stands in the line.
36.30	" " " " 18 " " " " " "
40.00	Set a post for the cor. off 1/4 sec. from which a Y Buck. 9 in diam. bears N 62 1/2 W. 12 m. dist; 1 m. Lo. 5 " " " S 44 E. 14 " "
55.34	To a Buck. 14 in diam. stands in the line.
80.56	Enter out the N. B. on a 142 m. East of the first cor. from 33134 <i>L. N. 14 N.R. N. 3 N.</i> and set a post for the cor. off <i>L. N. 3 & 4</i> from which a Grey Ash, 24 in diam. bears S 13 E. 18 1/2 m. dist; 1 m. Y Buck. 16 " " " N 13 1/2 E. 32 " " Sands level and not; 2nd rate; Limb a Sugar Ash Buck. Poplar. No Y. Oak & Walnut.
Oct. 12. 1819.	
North	Between <i>L. N. 32 & 33 L. N. 13 N.R. N. 3 N.</i>
2.00	To a Buck. 23 in diam. stands in the line
38.21	" " Y Buck. 12 " " " " " "
40.00	Set a post for the cor. off 1/4 sec. from which a Y Buck. 15 in diam. bears N 56 E. 2 1/2 m. dist; 1 m. Lo. 2 " " " " N 60 1/2 W. 11 1/2 " "
43.25	To a Buck. 20 in diam. stands in the line.
73.30	" " Sugar 12 " " " " " "
80.00	Set a post for the cor. off <i>L. N. 28, 29, 32 & 33</i> from which Y Buck. 12 in diam. bears N 82 W. 45 m. dist; 1 m.

I. N^o 13. N.R. N^o 37. 2nd Mer. Sud^r

Beck, 24 in diam. beams. S55E. 4 lbs each;
Lunde hard crude form. Gumbe Beck. Oak Poplar & Oak,

East On a Random line between Sud. 28.133 I. N^o 13. N.R. N^o 37.
140.00 Set a temporary post for the cor. off 1/4 sec.
64.00 Continue bottom
173.00 Left Bottom
19.65 Intersected the N.R. line 11.2 miles North of the post cor.
off sec. 27 28. 33134.
Lunde bottom & form; Gumbe Beck, Poplar Sugar
& Oak

West On the true line between Sud. 28.133 I. N^o 13. N.R. N^o 37.
39.82 1/2 Set the temporary post at the corner ditch on the true line for
the cor. off 1/4 sec. from which a
Kick 18 in diam. beams. N42 1/2 E. 13 lbs each; 12
W Oak 07 " " " N26 W 4 " "
19.65 To the post cor. off sec. 28. 29. 32133.

North Between Sud 28.129 I. N^o 13. N.R. N^o 37.
3.00 To a Beck 24 in diam. stands on the line.
35 1/4 " " do. 18 " " " " " "
40.00 Set a post for the cor. off 1/4 sec. from which a
Gassapas 5 in diam. beams. S2E. 16 1/2 lbs each; 12
Beck. 7 " " " N28E. 21 1/2 " "
57.89 To a W Oak. 40 in diam. stands on the line.
80.00 Set a post for the cor. off sec. 20. 28 28.129 from which a
Sugar. 18 in diam. beams S57 W. 2 lbs each; 12
W Oak. 4 " " " S89E. 24 1/2 " "
Lunde broken & 2nd rate; Gumbe Beck, Poplar
Beck & Oak

East On a Random line between Sud 28.128 I. N^o 13. N.R. N^o 37.

T N^o 13. NR N^o 377. 2nd Mo. Ind^y.

40.00	Set a trap for the cor. of 1/4 cu.
79.80	Intersect the N 15 line 136 lines North of the post cor. of cor. 21. 22, 27, 28. Land wood under 2 nd rate; Timber Beech, Sugar Poplar, Oak. NW Oak, & Hick ^y .
West	On the line between Lot 21. 28 T N ^o 13. NR 377.
39.90	Set the traps at the aver. dist. on the line for the cor. off 1/4 cu. from which a Buck. 12 in dist. bears S 97 ^o 15 the north; or L ^y . 10 " " " N 69 ^o 7 ^o 21 " "
79.80	Set the post cor. of cor. 20, 21. 28 & 29.
North	Between Sec. 20 & 21 T N ^o 13. NR N ^o 377
22.77	Iron Poplar 20 in dist. stands in the line.
40.00	Set a post for the cor. off 1/4 cu from which a Sugar 5 in dist. bears N 87 ^o 8 lines north; or Buck. 30 " " " N 77 ^o 5 " "
66.70	Iron Buck. 10 in dist. stands in the line.
80.00	Set a post for the cor. off cor. 16, 17, 20 & 21 from which a Buck. 4 in dist. bears S 25 ^o 22 the north; or L ^y . 18 " " " N 86 ^o 27 " " Land wood under 2 nd rate; Timber Beech, Poplar & NW Oak, 73 Oak, & Hick ^y .
East	On a Random line between Lot 16. & 21 T N ^o 13. NR 377
40.00	Set a trap for the cor. off 1/4 cu.
79.42	Intersect the N 15 line 61 lines N of the post cor. of Lot. 15, 16, 21 & 22 Land wood under 1 st rate; Timber Beech, Oak, Ash & Poplar. Oct. 11. 1819
West	On the line between Lot 16. & 21 T N ^o 13. NR N ^o 377

C. N^o 13 N.R. N^o 37. 2nd Mer. Sud?

39.71 Set the temp^y post at the av. met on the true line
for the cor. off $\frac{1}{4}$ sec. from which
W. Ash. 14 in dist. bears N 69 $\frac{1}{2}$ E. 17 the met; 1st
Buck 5 " " " N 21 $\frac{1}{2}$ W. 34 $\frac{1}{2}$ "
79.40 To the post cor. off lat. 16.17, 20. & 21.

North Return Lat. 16.17 of N^o 13 N.R. N^o 37.
1.75 To a Buck 14 in dist. stands in the line.
32.40 " " " " " " " " " " " "
40.00 Set a post for the cor. off $\frac{1}{4}$ sec. from which
Buck 5 in dist. bears S 74 W. 24 $\frac{1}{2}$ the met; 1st
Lo. - " " " S 38 $\frac{1}{2}$ W. 13 $\frac{1}{2}$ " "
78.04 To a Sugar 20 in dist. stands in the line
80.00 Set a post for the cor. off lat. 8.9 16.17 from which
Buck 5 in dist. bears S 89 E. 13 the met; 1st
Lo. 4 " " " S 80 W. 17 $\frac{1}{2}$ " "
Lands sold under 2nd rate; Sugar Buck Sugar
Hick 1 & B. Ash.

East On a Random line between Lat. 9 & 16 of N^o 13 N.R. N^o 37.
40.00 Set a temp^y post for the cor. off $\frac{1}{4}$ sec
79.41 Intersect the N 13 line 54 links N. of the post cor. off lat.
9.10.15 & 16. Lands sold under 2nd rate;
Sugar Buck Sugar, Hick 1 & B. Ash.

West On the true line between Lat. 39 & 16 of N^o 13 N.R. N^o 37.
39.70 $\frac{1}{2}$ Set the temp^y post at the av. met on the true line for the
cor. off $\frac{1}{4}$ sec. from which
Edm 12 in dist. bears S 17 $\frac{1}{2}$ E. 74 the met; 1st
Poplar 14 " " " N 46 E. 15 $\frac{1}{2}$ " "
79.41 To the post cor. off lat. 8.9.16. & 17.

North Return Lat. 8.9 of N^o 13 N.R. N^o 37.

T. N. 13 N. R. N. 3 T. 2nd Mer. Sec. 7

- 18.45 To Sugar 11 in dist. Stands in the line.
 38.14 " " Buck 14 " " " " "
 110.00 Set apart for the cor. off the 74 sec. from which an
 Elm 16 in dist. bears N 24 N. 10 miles dist; 1 a
 W. Oak 44 " " S 68 E. 15 1/2 "
 148.36 To Sugar 10 in dist. Stands in the line.
 174.25 " " Poplar 18 " " " " "
 80.00 Set apart for the cor. off sec. 4, 5, 8 & 9 from which a
 Sugar 3 in dist. bears N 40 E. 3 miles dist; 1 a,
 Hick 4 " " " N 87 N. 11 " "
 Lands here under moderate; Timber Buck, Poplar,
 B. Oak, Sugar,

- East. On the line between Sec 4 & 9 T. N. 13 N. R. 3 T.
 40.00 Set a temp. post for the cor. off 74 sec.
 80.35 Set out the N & S line 35 miles North of the post cor.
 off sec. 3, 4, 9 & 10.
 Lands here under moderate; Timber Poplar, Buck,
 B. Oak, Sugar & Mahogany.

- West On the line between Sec 4 & 9 T. N. 13 N. R. 3 T.
 40.17 1/2 Set the temp. post at the corner dist. in the line
 for the cor. off 74 sec. from which a
 Buck 6 in dist. bears N 33 N. 24 miles dist; 1 a
 Hick 3 " " " S 35 N. 10 " "
 80.35 To the post cor. off sec. 4, 5, 8 & 9.

- North Between Sec 4 & 5. T. N. 13 N. R. N. 3 T.
 8.65 To Sugar 2 in dist. Stands in the line.
 34.95 To W. Hick 11 in dist. " " " "
 40.00 Set apart for the cor. off 74 sec. from which a
 Buck 18 in dist. bears S 56 E. 3 miles dist; 1 a,
 Sugar 4 " " " N 65 N. 14 " "

St. N° 13 N.R. N° 37. 2nd Mer. Sud.

52.50 To a P. Oak. 36 in dia: Stands in the line.
 81.40 Intersect the N.R. line 110 links E. of the post
 cr. of sec. 32. 133 St. N° 14 N.R. N° 37. 1st 2nd
 post cr. of sec. 4 & 5 from which a
 Buck 5 in dia: bears S 87° E 14 links dist; 1 a
 110. 6 " " " N 87° 20 " "
 Lands here & 2nd rate; Timber Buck, Sugar,
 Poplar, W. Oak, & Walnut. Oct. 12. 1819.

North Between Sec. 31 & 32 St. N° 13 N.R. N° 37.
 4.59 To a Sugar. 16 in dia: Stands in the line.
 36.45 " " Buck. 18 " " " " "
 40.00 Set a post for the cr. off 1/4 sec. from which a
 Sugar. 8 in dia: bears S 53° E. 6 links dist; 1 a
 110. 9 " " " N 29° 7' 36 3/4 " "
 57.50 To a Buck 7 in dia: Stands in the line.
 78.09 " " Sugar. 12 " " " " "
 80.00 Set a post for the cr. off sec. 29. 30. 31 & 32 from which a
 W. Walnut 6 in dia: bears N 26° W. 16 links dist; 1 a
 Sugar. 18 " " " S 44° E 39 " "
 Timber rolling & 1st rate; uplands; Timber Sugar,
 Buck, Walnut, Ash, Oak, & Poplar.

East On a Random line between Sec. 29 & 32 St. N° 13 N.R. 37.
 40.25 To a Brook 4 links miles, corner S.
 840.00 Set a temporary post for the cr. off 1/4 sec.
 80.80 Intersect the N.R. line 59 links North of the post
 cr. of sec. 28. 29 32 & 33.
 Lands rolling & 2nd rate; Timber Buck, Poplar, Sugar, &c.

West On the true line between Sec. 29 & 32 St. N° 13 N.R. 37
 40.40 Set the temporary post at the corner dist on the true line
 for the cr. of the 1/4 sec. from which a

T. N. 13. N.R. N. 3 W. 2nd Mer. Ind.:

80.80	<p>Beck 16 in dist. hours. S 20 W. 34 miles dist. day do do " " " N 30 W. 17 1/2 " " To the post cor. of sec. 28, 29, 32 & 33.</p>
North	Between Sec. 29 & 30 T. N. 13. N.R. N. 3 W.
13.00	To an Elm 48 in dist. stands in the line
40.00	Set apart for the cor. off 1/4 sec. from which a
	Beck 18 1/2 in dist. hours. S 49 W. 37 1/2 the dist. 1 a
	do. 7 " " " N 8 W. 58 " "
47.00	To a sugar 18 in dist. stands in the line
78.42	" " Beck 23 " " " " "
80.00	Set apart for the cor. of sec. 19, 20, 29 & 30 from which a
	Gray Ash 11 in dist. hours. N 79 W. 13 the dist. 1 a
	Beck 36 " " " S 51 E. 32 " "
	Some very wide 2 nd rate; Some Beck, Sugar, Ash, Poplar, Walnut, W. Spruce &c.
East	On a Random between Sec. 20 & 29 T. N. 13. N.R. N. 3 W.
40.00	Set a temporary post for the cor. off 1/4 sec.
63.00	To a Spring 5 the side, corner S.E.
80.18	Enter out the N.W. line 10 the North of the post cor. of sec. 20, 21, 28 & 29 Some 1 st & 2 nd rate. 2 nd & 3 rd best and rich; Some Sugar Ash, Poplar, Walnut, Beck, Spruce & P. Spruce W.
West	On the true line, between Sec. 20 & 29 T. N. 13. N.R. N. 3 W.
40.09	Set the temporary post at the corner dist. on the true line for the cor. off 1/4 sec. from which a
	Beck 30 in dist. hours. N 8 W. 32 miles dist. 1 a
	do. 18 " " " S 30 E. 48 1/2 " "
80.18	To the post cor. of sec. 19, 20, 29 & 30
North	Between Sec. 19 & 20 T. N. 13. N.R. N. 3 W.

T. N. 13. N. 18. N. 37. 2nd Mer. Sud.

2.62	To a Beech 10 in diam. stands in the line.
39.60	" " Sugar 8 " " " " " "
40.00	Set a trip post for the cor. of 74 sec. from which a Poplar 8 in diam. bears S 84 E. 22 to the ash; 1 a, Hickory 12 " " " S 53 W. 38 " "
112.13	To a Poplar 20 in diam. stands in the line.
62.00	" " Birch 8 in diam. bears S.
73.71	" " Ironwood 5 in diam. stands in the line.
80.00	Set a post for the cor. of sec. 17, 18, 19 & 20 from which a Beech 4 in diam. bears S 30 E. 11 1/2 to the ash; 1 a, Hickory 6 " " " N 37 E. 11 1/2 " " Line broken & 2nd run; Ironwood, Beech, Poplar, Hickory, B. Ash, & Sugar
East	On a Random line between Sec. 17 & 20 T. N. 13. N. 18. 37.
40.00	Set a trip post for the cor. of 74 sec.
80.20	Intersect the N. 18 line, 48 tows N. of the post. cor. of sec. 16, 17, 20 & 21. Line broken & 2nd run; Ironwood, Beech, Poplar, Hickory and B. Ash.
West	On the true line between Sec. 17 & 20 T. N. 13. N. 18. 37.
40.10	Set the trip post at the cor. each on the true line for the cor. of 74 sec. from which a Beech 18 in diam. bears N 73 W. 16 to the ash; 1 a, Sugar 3 " " " S 73 E. 11 1/2 " "
80.00	To the post cor. of sec. 17, 18, 19 & 20 Oct. 13. 1819
North	Between Sec. 17 & 18 T. N. 13. N. 18. 37.
9.90	To a Beech 10 in diam. stands in the line.
26.18	" " Hickory 24 " " " " " "
40.00	Set a post for the cor. of 74 sec. from which an Ironwood 5 in diam. bears N 34 W. 20 to the ash; 1 a, Beech 17 " " " S 35 E. 26 " "

55.67	To at Brook. 14 in diam. stands in the line.
73.00	" " 12 in. 6 " " " " " "
80.00	Set a post for the cor. of sec. 7, 8, 17, & 18. From which Ashwood 24 in diam. Slope N. 8 looks east; 1 in, Sugar. 7 " " N 7 1/2 N. 34 " " Sands broken with Yucca; 2 nd rate; Similar Brook. Sugar. Ash. Hickory and Oak.
East	On a random line between Sec. 8. & 17 I. N ^o 13. N.R. N ^o 37.
15.00	To at Brook. 13 1/2 the mile, comes N.W.
23.00	" " " 15 " " " S.W.
40.00	Set a temporary post for the cor. of 1/4 sec.
70.00	To at Brook 5 1/2 the mile, comes N.W.
80.70	Intersect the N.W. line 5 1/2 the South of post cor. of sec. 8, 9, 16, & 17. Sands broken 12 th rate; Similar Brook. Sugar. Hickory and Oak.
West	On the true line between Sec. 8. & 17 I. N ^o 13. N.R. N ^o 37.
40.35	Set a post (temp.) at the corner ditch on the true line for the cor. of 1/4 sec. From which Brook 11 in diam. bears. N 28 1/2 E. 23 the ditch; 1 in, Ashwood 7 " " " N 75 1/2 N. 12 " "
80.70	To the post cor. of sec. 7, 8, 17, & 18.
South	Between Sec. 7 & 8 I. N ^o 13. N.R. N ^o 37.
18.00	To at Brook. 14 in diam. bears. in the line.
20.00	" " Brook. 50 the mile, comes N.W.
32.00	To a Sugar. 18 in diam. stands in the line.
40.00	Set a post for the cor. of 1/4 sec. From which Brook 9 in diam. bears. Slope E. 18 the ditch; 1 in, Sugar. 17 " " " S 77 1/2 N. 8 " "
48.57	To at Brook 7 in diam. stands in the line.
68.86	" " 73 Ash. 30 " " " " " "

T. N^o 13. N^o 37. 2nd Mer. Ind. a.

80.00	Set a post for the cor. of sec. 5, 6, 7, & 8 from which Sugar 18 in diam. bears. S 82 ^o E. 15 the dist; & a Oak. 24 " " " S 62 ^o N. 18 " " Sands R ^o 1/2 broken; 2 nd 1/2 load and 2 nd mts. Sandy Beech, Ash, Poplar & Hickory,
East	On a Meridian line between sec. 5 & 8. T. N ^o 13. N ^o 37.
17.50	To a Brook. 6 the mts. Corner N ^o 17.
40.50	Set a post for the cor. of 1/4 sec.
80.20	Intersect the N ^o 17 line 5 the North of the post cor. of sec. 4, 5, 8, & 9 Sands broken with Gravel 2 nd mts. Sandy Beech, Sugar, ash, Poplar & Hickory & Spruce
West	On the true line between sec. 5 & 8. T. N ^o 13. N ^o 37.
40.10	Set the true post at the corner dist on the true line from the cor. of 1/4 sec. from which a Sugar. 23 in diam. bears. N 64 ^o W. 37 the dist; & a Oak. 18 " " " " S 30 ^o E. 12 " "
80.20	To the post cor. of sec. 5, 6, 7 & 8.
North	Between sec. 5 & 6 T. N ^o 13. N ^o 37.
8.20	To a Brook. 8 in diam. stands on the line.
28.50	" " Sugar. 13 " " " " " "
40.00	Set a post for the cor. of 1/4 sec. from which a Sugar. 12 in diam. bears. S 88 ^o E. 20 the dist; & a Beech. 6 " " " " S 62 ^o N. 16 the dist;
44.57	To a Gray ash 12 in diam. bears on the line.
50.07	" " Brook. 25 the dist. Corner N ^o 17.
70.10	" " Oak. 5 " " " " S 77
74.00	" " Brook. 24 in diam. stands on the line
81.92	Intersect the N ^o 17 line 191, the East of the post cor. of sec. 3, 1, 3 & 2 T. N ^o 14. N ^o 37 and set a post for the cor. of sec. 5 & 6 from which a

T. N^o 13. N. R. N^o 37. 2nd Mer. Ind.

Sugar. 18 in diam. bears N 67^W. 18 links dist; 1st,
 Buck. 14 " " " S 13¹/₂ E. 19 " "
 Sunde broken 2nd state; Sunde Sugar Buck. Ash etc,
 Poplar Oak & Walnut;

West Between Sep. 6 & 7 T. N^o 13. N. R. N^o 37.
 13.06 Low Burr Oak. 30 in diam. Stands in the line
 34.70 " " Oak 21. " " " " "
 40.00 Set a post for the cor. of 1/4 sec. from which a
 Q. Oak. 18 in diam. bears N 23 E. 11 the dist; 1st,
 Walnut. 20 " " " S 50^W. 41 " "
 42.17 To a N. Oak 24 in diam. Stands in the line.
 57.89 Intersect the West Boundary 389 the S. of the post
 cor. of sec. 6 & 12 T. N^o 13. N. R. N^o 37 and set
 a post for the cor. of sec. 6 & 7 from which a
 Loggerto 4 in diam. bears N 35¹/₂ E. 16 the dist; 1st,
 Sugar. 6 " " " S 6 E. 9 " "
 Sunde had unde gordo 2nd state; Sunde Oak, Ash,
 Sugar Hickory Walnut. & Poplar Oct. 14. 1859

West Between Sep. 7 & 18 T. N^o 13. N. R. N^o 37.
 8.50 To an N. Oak. 48 in diam. Stands in the line.
 12.80 " at Brook. 10 the width, across N. R.
 28.00 " " Poplar. 24 in diam. Stands in the line.
 40.00 Set a post for the cor. of 1/4 sec. from which a
 Poplar. 30 in diam. bears N 71^W. 24 1/2 links dist; 1st,
 Oak. 20 " " " S 35 E. 13 " "
 57.60 Intersect the West Boundary 353 links South of the
 post cor. of sec. 12 & 13 T. N^o 13. N. R. N^o 47. & set
 a post for the cor. of sec. 7 & 18 from which a
 Oak. 17 in diam. bears N 45 E. 33 the dist; 1st,
 Maple. 20 " " " S 10 E. 18 " "
 Sunde broken & 2nd state; Sunde Sugar Oak, Poplar 387

D. No 13. A. R. No 3 W. 2nd Wm. Ind.

d Oak.

October 13. 1819

West	Between Sec. 18 & 19 T. N. 13. R. N. 3 W.
1.36	To a Beech. 18 in dia. Stands in the line
28.23	" " Birch 2 the ash; Cedars T. N.
33.60	" " Sugar. 9 in dia. Stands in the line.
40.00	Set a post for the cor. off $\frac{1}{4}$ Sec. from which a Sugar 18 in dia. bears West 13 the ash; & a Sec. 17 " " S 88 E. 21 $\frac{1}{2}$ " "
49.74	To a Sugar. 7 in dia. Stands in the line.
57.95	Intersect the West Boundary 345 the South of the first cor. off sec. 13 & 24 T. N. 13. R. N. 4 W. and set a post for the cor. off Sec. 18 & 19 from which Sugar 17 in dia. bears S 30 E. 25 the ash; & a Sec. 18 " " " N 21 W. 16 $\frac{1}{2}$ " " Sand will 8. 2 nd rate; Sugar Beech, Sugar Poplar & B. Oak,

West	Between Sec. 19 & 30 T. N. 13. R. N. 3 W.
23.00	To a Sugar. 18 in dia. Stands in the line.
40.00	Set a post for the cor. off $\frac{1}{4}$ Sec. from which a Sugar 17 in dia. bears S 73 E. 21 the ash; & a Sec. 20 " " " S 84 $\frac{1}{2}$ W. 26 " "
45.57	To a Sugar 17 in dia. Stands in the line
57.56	Intersect the West Boundary 168 the South of the first cor. off sec. 24 & 25 T. N. 13. R. N. 4 W. & set a post for the cor. off sec. 19 & 30. from which Sugar 18 in dia. bears S 89 W. 30 the ash; & a Oak 48 " " " S 86 $\frac{1}{2}$ E. 23 " " " Sand hard clods 2 nd rate; Sugar Beech, Sugar Oak, Poplar, & Elm.

West Between Sec. 30 & 31 T. N. 13. R. N. 3 W.

D. N. 13 N. R. N. 377. 2nd Mer. Sec. 9

16.79 To a Buck. 12 in dist. stands in the line
 39.40 " " No. 24 " " " " "
 40.00 Set apart for the cor. of $\frac{1}{4}$ sec. from which a
 Sugar - in dist. bears N 67° E. 19 links dist; on
 Buck. 30 " " " S 23° E. 10 " "
 57.20 To a Buck. 24 in dist. stands in the line.
 54.74 " " Buck. 2 the miles corner S.
 57.80 Enter at the West Boundary 149 links South of the
 corner of Sec. 25 & 36 N. N. 13 N. R. N. 477. Set
 apart for the cor. Sec. 30 & 31 from which a
 Hick. 12 in dist. bears N 40° E. 14 links dist; on
 Buck. 6 " " " S 38° E. 8 " "
 Lime rock & under rock; Sugar, Buck.
 Walnut & Ash. Oct. 14. 1819.

Surveyed by
 John Milroy D.S.

I certify that the foregoing transcript of the field
 notes of Cornships N. 13 North of Range 8 N. 13
 West of the 2nd Principal Meridian in Indiana
 has been compared with the Original notes in
 this Office, and found to be correct.

Surveyor General's Office,
 Cincinnati, Dec. 24. 1840

E. S. Mearns
 Sur. Genl.